FRONTLINE®
international



Full Line Reference Guide



Version 2026

Frontline International Inc. • 187 Ascot Parkway, Cuyahoga Falls, OH 44223 • Phone: 330-861-1100 • Fax: 330-861-1105 • www.frontlineii.com

Used Cooking Oil (UCO) Containment Tanks

Used cooking oil containment tanks are made of heavy-gauge stainless steel and come equipped with a variety a features to make them easy to use.

Indoor UCO Tanks (Floor Mount)



3073SQDC

3073SQDC
160 gal
Tank capacity
1200 lb/160 gal
(590 kg/606 l)

3073SQ
183 gal
Tank capacity
1300 lb/183 gal
(590 kg/692.7 l)

4073SQDC
315 gal
Tank capacity
2632 lb/315 gal
(1071 kg/1192 l)

4073SQDC
352 gal
Tank capacity
2640 lb/352 gal
(1197 kg/1332 l)

Indoor UCO Tanks (Raised Legs)



3075SQ

3075SQ
183 gal
Tank capacity
1300 lb/183 gal
(590 kg/692.7 l)

2478SQ
150 gal
Tank capacity
1100 lb/150 gal
(499 kg/567.8 l)

Outdoor UCO Tanks



3073SQDC-O

3073SQDC-O
160 gal
Tank capacity
1200 lb/160 gal
(590 kg/606 l)


3073SQ-O
183 gal
Tank capacity
1300 lb/183 gal
(590 kg/692.7 l)

4073SQDC
315 gal
Tank capacity
2632 lb/315 gal
(1071 kg/1192 l)

4073SQDC
352 gal
Tank capacity
2640 lb/352 gal
(1197 kg/1332 l)

Equipment Option: Double Wall UCO Tanks

D
DOUBLE WALL
CONTAINMENT



- Designed to meet stringent local, state, and federal environmental codes.
- Provides 115% secondary containment.
- With double-wall containment PLUS automatic full-tank alerts and Frontline's closed-loop collection system, managers enjoy a hands-free, worry-free operation that's safe, clean, and EPA-responsible.

Fresh Oil Dispensing

Frontline offers you two ways to refill fryers that are safer, more convenient, and more cost-effective. The **EZ Oil**™ Fresh Oil Dispensing System is an automated, boxed cooking oil dispensing system with an integral pump. Our **VersaPour**™ is an automated dispensing system for cooking oil or, when paired with optional warming or melting accessories, tallow, or other semi-solid fats.



MODEL RACK20

EZ Oil™ Fresh Oil Dispensing System
Model RACK20
90 gal
Tank capacity
675 lb/90 gal
(306 kg/340 l)




MODEL RACKVP20

EZ Oil VersaPour™ Fresh Oil Dispensing Station
Model RACKVP20
85 gal
Tank capacity
637.5 lb/85 gal
(289.2 kg/322 l)

Used Cooking Oil Conveyance

Direct-Plumbed®

The fully automated Direct-Plumbed® system is Frontline International's safest waste oil management system, and it's easy to operate, requiring just the push of a button. Your existing fryer is plumbed to a secure used oil holding tank.




Used Oil Pump Station

Fryer not equipped with a built-in filtration pump? The pump station easily suctions spent grease from the fry vat and pumps it to the containment tank.



◀ **Used Oil Pump Station**
Model WOPS



Grill Grease System

The Heated Grill Grease System is the first-of-its-kind solution that easily collects grill grease throughout the day then pumps it into any Frontline UCO containment tank.




◀ **LS-3-60GG**
8 gal
Tank capacity
60 lb/ 8 gal
(27.2 kg/575 l)



Mobile Caddy System

Not ready to install plumbing? Caddy the oil from the fryer to the tank.



Transport Caddies



◀ **16SS**
16 gal
Tank capacity
120 lb/ 16 gal
(54.4 kg/60.5 l)

10SS LV-LOV
7 gal
Tank capacity
53 lb/ 7 gal
(24 kg/26 l)

10SS
10 gal
Tank capacity
75 lb/ 10 gal
(34 kg/37.8 l)

Containment Caddies




◀ **47SS-WPC**
47 gal
Tank capacity
353 lb/ 47 gal
(178 kg/178 l)

47SS-WP
47 gal
Tank capacity
353 lb/ 47 gal
(178 kg/178 l)

74SS-WP
74 gal
Tank capacity
550 lb/ 74 gal
(249kg/280 l)

Equipment Option: ALL caddies can be converted to become a filter caddy.



- Extend fryer oil life up to 50%, reduce costs, and standardize the taste and quality of fried foods.

Oil Life Monitoring Solutions

Oil quality directly relates to food quality. Maintaining high oil quality means better-tasting, more consistent food and an improved customer experience.

FryQ™




◀ Model FRYQ-OS

FryQ Connect™



◀ Model FRYQ-OUI

M3 Smart Oil Management®




◀ Model M3 Data Management Software

POTENTIAL ANNUAL UCO REBATE VALUE

A typical high-volume location can generate thousands of dollars annually in recoverable UCO value. Secure containment and managed collection help turn a waste stream into a revenue stream.

Illustrative value based on $6,656 per location annually.



Assumes 4 fryers, 40 lb. per oil change, 2 changes per week and UCO valued at $0.40/lb.

FRONTLINE® international

Explore our full line of oil management equipment in depth on our website.

Frontline International Inc. • 187 Ascot Parkway, Cuyahoga Falls, OH 44223

Phone: 330-861-1100 • Fax: 330-861-1105 • www.frontlineii.com